

SANITARY APPLIANCES**Technical document 017-02**

Additional general specifications

Technical document 017-02 rev. 00

21/12/2018

CSTB (Centre Scientifique et Technique du Bâtiment), a public establishment supporting innovation in construction, has four key activities—research, expertise, assessment and dissemination of knowledge—organised to meet the challenges of the ecological and energy transition in the construction sector. Its field of expertise includes construction materials, buildings and their integration into districts and towns.

With over 900 employees, its subsidiaries and networks of national, European and international partners, the CSTB group works for all the stakeholders in the construction sector to advance building quality and safety.

Any reproduction or representation, in whole or in part, by whatever means, of the pages published in this technical document and executed without the authorisation of CSTB is illegal and constitutes a counterfeit. The only authorised exceptions are 1) reproductions strictly reserved for the use of the typist and not intended for any collective use or 2) analyses and short quotations required due to the scientific or informational nature of the work in which they appear (article L.122-5 of the Intellectual Property Code). This document has been drawn up under the initiative and direction of CSTB, which has gathered the opinions of all interested parties

© CSTB

MODIFICATION HISTORY

Revision no.	Application date	Modifications
00	21/12/2018	Update to the document layout and reference

Contents

1.	Specifications	5
----	----------------------	---

1. Specifications

1. When an NF product is delivered or recommended with equipment (drain plug, trap, etc.), this equipment shall necessarily have received the marks for NF-Sanitary components (NF076), NF-Sanitary valve fittings (NF077), NF-WC Toilet seat (NF240).
2. When the valve fitting ledge fails to conform to the 'connection dimensions' standard for design reasons and the manufacturer delivers the valve fittings associated with the appliance, the valve fittings do not necessarily have to be NF. However, they must respect regulations in force including the decree of 29 May 1997 dealing with materials in contact with water intended for human consumption.
3. Definition of appliance colour ranges:

The following table gives the classification of colours as a function of brightness indexes, using the CIE system (Y) and the Hunter system (L):

Colour	Brightness index	
	Y	L
Light	≥ 37	≥ 60.8
Medium	≥ 7 and < 37	≥ 26.5 and < 60.8
Dark	< 7	< 26.5

A colour range has been defined based on this classification for colours and appearance.

Thus, 6 colour ranges are considered:

Appearance	Colour		
	Light Gloss	Medium Gloss	Dark Gloss
	Light Matt	Medium Matt	Dark Matt

If there is a dispute between the manufacturer and mark laboratories, the NF EN ISO 2813 Standard is applied.